

Dictation Distributors Limited

Digital Product Directory October 2009

Price Lists page 2-3

Consumer Products page 4

Conference & Linear Recording page 5

Business Machines & Workgroup Solutions page 6-7

Product Comparison Guides pages 8-9

Accessories Compatibility Guide page 10

Software Spec's page 11

PC System Requirements page 12

Company Details

Auckland Head Office

Unit 5 – 77 The Strand
Parnell, Auckland

P O Box 6001
Wellesley Street

Telephone: +64 9 379 3074
Freephone: 0800 659 678

Facsimile: +64 9 303 3189
FreeFax: 0800 697 601

Email: info@dictation.co.nz
Web: www.dictation.co.nz

Staff Directory

Robyn Peffers
Digital Product Manager
robyn@dictation.co.nz

Marion Hopkin
Customer Services
marion@dictation.co.nz

Fleur Daji
Customer Services
fleur@dictation.co.nz

Dawn Riley
Managing Director
dawn@dictation.co.nz

Wellington Office

Level 1, 50 Manners Street
Wellington

Telephone: +64 4 381 0370
Facsimile: +64 4 381 4642

Sue Nicholson
Regional Manager
sue@dictation.co.nz

Recommended Retail Price List

DDL Code	Consumer Products	RRP Excl	RRP Incl
AD0252	VN-6500 Digital Voice Recorder	88.00	99.00
AD0253	VN-6800PC Digital Voice Recorder	150.22	169.00
AD0223	WS-450S Digital Voice Recorder / Removable Drive	176.89	199.00
AD0221	WS-550M Digital Voice Recorder / MP3 Music Player	265.78	299.00
Conference & Specialist Recording			
AD0239	DS-55 Digital Voice Recorder (Conf Mic / Remote)	354.67	399.00
AD0228	LS-10 Linear PCM Recorder	710.22	799.00
Business Machines & Work Group Solutions			
AD0232	DS-2400 Digital Voice Recorder	532.44	599.00
AD0233	AS-2400 Typist Transcription Kit	265.78	299.00
AD0230	Digital Starter Kit: DS-2400 & AS-2400	772.44	869.00
AR0115	DS-3400 Digital Voice Recorder	621.33	699.00
AR0118	DS-5000 Digital Voice Recorder	710.22	799.00
AR0119	DS-5000id Digital Voice Recorder	799.11	899.00
AR0023	AS-5000 Typist Transcription Kit	354.67	399.00
AD0193	DR-2000 Slide Control Microphone	354.67	399.00
Microphones & Telephone Recording			
AD0212	ME30W Conference Microphones (Incl Tripods/Suede Pouch)	443.56	499.00
AD0258	ME31 Compact Gun Microphone	265.78	299.00
AD0148	ME12 Noise Cancelling Microphone	17.78	20.00
AD0133	ME15 Microphone (Lapel style)	43.56	49.00
AR0075	ME50S Stereo Microphone	84.44	95.00
AR0073	ME51S Stereo Microphone	79.11	89.00
AD0217	ME52W Stereo Microphone	34.67	39.00
AD0207	RS29 Remote Controller (DS-30/DS-50)	43.56	49.00
AD0151	RS30W Infra Red Remote (LS-10)	79.11	89.00
AD0222	TP7 Telephone Recorder	34.67	39.00
AD0145	Tele Recorder (plugs into phone handset)	34.67	39.00

Recommended Retail Price List

DDL Code	Headsets & Foot Controls	RRP Excl	RRP Incl
AD0108	E102 Typist Headset (3m lead)	48.89	55.00
AD0139	E62 Typist Headset (3m lead)	57.78	65.00
AD0211	RS-28 Foot Control (AS-2300/AS-4000/AS-5000)	132.44	149.00

Batteries & Power Management

AR0076	BR403 Ni-MH Battery Pack (DS-5000/DS-4000/DS-3300)	34.67	39.00
AR0079	BC-400 4x AAA Ni-MH Batteries with Charger	88.00	99.00
AR0129	CR10 Docking Cradle (DS-5000/DS-2400)	114.67	129.00
AR0128	CR3A Docking Cradle (DS-4000/DS-3300/DS-2300)	88.00	99.00
AR0077	A513 AC Adaptor (DS-5000/LS-10/CR10 Cradle)	52.44	59.00
AD0270	D-7AC Adaptor (CR3/CR3A Cradle)	43.56	49.00

Miscellaneous

AR0121	SC-1 Bar Code Scanner (DS-5000)	621.33	699.00
AD0265	M-XD 1GB xD Memory Card (LP 179hr 30min / SP 359hr)	79.11	89.00
AD0136	KP21 USB Cable (DS-5000/CR10/DS-2400)	34.67	39.00
AR0132	KP11 USB Cable (DS-4000/DS-3300/DS-2300/CR3/CR3A)	43.56	49.00
AD0175	KP10 USB Cable (DS-30/DS-40/DS-50/DS-660/DS-330/DS-2200)	17.78	20.00
AD0171	KP7 USB Cable (DS-3000/DS-2000)	17.78	20.00
AD0137	KA333 Lead	31.11	35.00
AD0172	E20 Earphone (Mono)	10.67	12.00
AR0097	E30 Earphone (Stereo)	13.33	15.00
AD0208	CS113 Carry Case (DS-30/DS-40/DS-50)	16.89	19.00
AR0082	CS105 Carry Case (DS-4000/DS-3300/DS-2300)	22.22	25.00
AD0213	CS119 Carry Case (DS-5000/DS-2400)	22.22	25.00

Software

AD0197	DSS Player Version 7	88.00	99.00
AR0149	AS5001 DSS Pro Dictation Release 5 (Licence Only)	88.00	99.00
AR0151	AS5002 DSS Pro Transcription Release 5	176.89	199.00
AR0152	DSS Player Pro R5 Upgrade CD	43.56	49.00
AR0513	DSS Player Standard V1 Upgrade CD	43.56	49.00

Consultancy

AA0040	Installation and Training Consultancy Fee	120.00	135.00
--------	---	--------	--------

Consumer Products

Definition of Category:

These products are not considered business machines or suitable for business use as they have no editing functions.

VN-6500 DVR Code AD0252

1GB Built-in flash memory records over 600 hours on LP (Long Play) setting. Features 5 record folders for easy file management, index marking and timer recording (set both record "On" and record "Off" times). Supplied with 2 x AAA batteries.

VN-6800PC DVR Code AD0253

1GB Built-in flash memory records over 600 hours on LP (Long Play) setting. Features 5 record folders for easy file management, timer recording (set record "On" and record "Off" times) and alarm playback. Supplied with USB Lead for PC download and 2 x AAA batteries.

WS-450S Removable Drive Code AD0223

This stylish machine is white and features the new "retractable" USB connection. To download files, simply use the slide switch located on the side of the machine to slide out the USB key - then plug the machine directly into the USB on your PC or laptop.

With a 1GB built-in memory the WS-450S can record over 17hours in its highest quality or an impressive 270hours in standard record mode. Supplied with 1 x AAA battery.

WS-550M DVR with MP3 Music Player Code AD0221

Removable drive with retractable USB connection and 2GB built-in memory and backlit full-dot LCD display.

Voice recorder features; 5 record folders, VCVA hands free recording, hi/lo microphone, index marking and adjustable playback speed. High quality WMA/MP3 music playback with WOW surround sound and adjustable graphic equaliser. Random and repeat playback options.

Supplied with stereo earphones, USB extension cable and rechargeable Ni-MH battery.

About Removable Drives

Recorders plug directly into the USB port on PCs and Mac** computers; software and/or drivers are not required.

Once connected the device will detect as a removable drive and appear in Windows Explorer or on the Desktop on a Mac. Simply click 'n drag files to (and from) the drive to download/ upload files.

Supports all file types i.e. music, pictures, documents and graphics.

** Macs require software to play WMA files.



Recording Times

	VN-6500 1GB	VN-6800PC 1GB	WS-450S 1GB	WS-550M 2GB
ST-XQ			17hr 20min	34hr 30min
ST-HQ			34hr 45min	69hr 40min
ST-SP			69hr 35min	139hr 25min
HQ	40hr 30min	70hr 55min	69hr 35min	139hr 25min
SP	107hr 55min	139hr 35min	137hrs	247hr 10min
LP	604hr 15min	444hr	272hr 25min	544hr 55min

Conference & Specialist Recording Solutions



These products are recommended for recording meetings and lectures only – they do not have any editing features (ability to review the file and continue dictating within the same file). Machines detect as mass storage devices when connected.

DS-55 Conference Recorder

This stylish recorder has a built-in memory and records in highly compressed WMA format; supports WMA and MP3 on play-back. The removable stereo microphone captures unsurpassed stereo sound; select either conference or lecture setting to maximise quality of pickup for the recording conditions.

Other features include; noise cancel and noise filter, adjustable playback speeds, index marking, VCVA for hands free recording, timer recording, 3 modes of microphone sensitivity, 5 recording speeds to maximise available space. There are 5 voice folders in which to store and manage your files as well as folders for music, Podcasts and audio files.

By registering favourite Podcast programs in DSS Player, you can download the latest broadcasting content automatically. New content can be transferred to the recorder simply by connecting it to a computer – files are in WMA format.

If you're wondering how you'll ever learn to use all these amazing features, don't worry, the built-in "voice guidance" will assist.

DS-55 DVR Code AD0239

Built-in 1GB memory, detachable stereo microphone, stereo earphones, USB cable, Olympus DSS Player v7, carry case, carry strap and batteries.



ME-30W Conference Microphones Code AD0212

Presented in a stylish suede carry case, these two AKG microphones come complete with adjustable tripod stands. Each microphone has a 2.5meter cable enabling them to be placed up to 5 meters apart. The cables are separate but can be connected together (using the adaptor plug supplied) to achieve stereo recording. Ideal for interviews and meetings where extended pickup is required.

ME-31 Gun Microphone Code AD0258

A true directional microphone suitable for lecture and "in-the-field" recording. Works with both monaural and stereo Olympus voice recorders. Supplied with grip, stand, wind shield and case.



LS-10 Linear PCM Recorder Code AD0228

Fully compliant with the linear PCM format, the LS-10 is capable of non-compressed digital audio recording at 96 kHz/24-bit for better than CD quality. This outstanding quality makes it possible to capture live sound with near absolute fidelity.

The LS-10 features built-in microphones in machined aluminium housings. Superior audio quality is further assured by using separate boards for the microphone amplifier circuitry's system control and audio control operations, thereby minimising internally generated noise.

Recording time can be as long as 16 hours with two AA Ni-MH rechargeable batteries or around 12 hours using two AA alkaline batteries (both in the 44.1 kHz/16 bit mode). A built-in 2 GB flash memory enables just over 3 hours of CD quality recording or up to 69 hours of WMA format recording. The LS-10 is also equipped with an SD/SDHC card slot to add additional recording capability.

LS-10 Linear PCM recorder supplied with KP10 USB lead, wind screens, carry case, strap and 2 x AA batteries. RS30W remote controller available as an optional accessory.

Recording Times

	LP	SP	HQ	ST SP	ST HQ	ST XQ
DS-55	260hrs +	130hrs +	66hrs +	66hrs +	33hrs +	16hrs +

NB: Due to the diversity of this product, all specifications are published on our Web Site

Business Machines & Workgroup Solutions

About DSS Player

DSS (Digital Speech Standard) was developed by Olympus as a highly compressed sound file suitable for use by dictation users and professionals wishing to archive or send files via their network server or as email attachments.

As the comparison guide shows, dss files are significantly smaller than other popular recording formats. This reduction in file size together with the advanced features on Olympus Digital Voice Recorders and DSS Player software provide users a sophisticated solution for their dictation requirements.

Comparison of Recording Formats

Rec format	Rec Time per 1MB	Common Usage
.dss	7min (SP)20min (LP)	Olympus Digital
.ds2	4min (QP) 9min (SP)	Olympus Digital
.wav	1min	Microsoft Sound Recorder
.mp3	2min (64kbps) 1min (128kbps)	Music Recorders

.dss files can be converted to .wav format to import/export to other applications

.dss supports both PC and Mac

.wav, wma, mp3 files are fully supported for transcription in DSS Player in Windows

Download DSS Player Lite Free from www.dictation.co.nz

Business Solutions



DS-2400 DVR Code AD0232

Entry model business machine with large easy to read backlit display and soft touch key control. The DS-2400 records in high quality DSS Pro (.ds2) format. Use the 'NEW' key to separate each file and provide "file header" information for the typist. Rename the 5 folders to assist with document management, the contents of these folders can be downloaded to multiple local and network destinations.

DS-2400 supplied with 1GB SD Memory Card, DSS Player Standard Dictation Software, KP21 USB cable, Leather Case and 2 x AAA batteries.

AS-2400 Transcription Kit Code AD0233

Provides all the functionality of a traditional tape transcriber; adjustable playback speed, volume, auto back space plus noise cancelling. Files can be downloaded direct from a DVR or via network connection.

Supplied complete with DSS Player Standard Transcription Software, RS-28 foot control and E102 headset.

Digital Starter Kit Code AD0233


Perfect for the small office or home office. Includes both the DS-2400 and AS-2400 products.

Which Solution is best?

Firstly, let's understand that all Olympus "business" machines provide the following functions:-

- Editing (rewind, over-record, insert and append dictation)
- Separation of each file or document
- Connection for DVR to automatically download files
- Author name, date, time and duration of file displayed
- Integration between author and secretarial software
- All machines detect as removable drives

The advanced features of "Workgroup Solution" products can further simplify and customise features for busy authors and those working within multiple locations and/or workgroups. Documents can be dictated into pre-allocated folders to be sent via network server, FTP server or as email attachments.



DSS Player R5 provides advanced management tools to allow remote access to author and typist PC's and dictation setup for personalised customisation and product upgrades. R5 software is shipped with all Workgroup Solutions products.

Direct Dictation Device



DR-2000 Direct Dictation Device Code AD0193

The DR-2000 is the perfect solution as a work-station solution or environments where multiple authors co-habitat in limited space. This USB microphone plugs directly into the USB port on your computer to provide direct dictation onto your hard drive.

Its snug-fit provides a secure, comfortable grip for fatigue free recording. The high-precision slide switch and click-stop action provides solid, reliable operation. Assign your most frequently used functions to the 3 buttons located on the front of the microphone for fast, easy one-touch access.

The large 36mm built-in speaker provides crystal clear playback. The DR-2000 is shipped with DSS Player Pro software which includes a Directrec configuration tool to allow easy configuration and customisation of the buttons and slide control.

Business Machines & Workgroup Solutions

Customise these solutions to maximise sharing of files between author(s) and support staff. Files are downloaded to folders (typist trays) for transfer via network server, FTP or as email attachments to single or multiple locations.

We recommend system scoping, implementation and user training be provided by a fully trained "Professional Reseller" or Project Managed by Dictation Distributors Limited.

DS-5000 DVR Code AR0118

The DS-5000 is elegant in design with a large easy to read backlit LCD display. The newly designed slide switch is incredibly smooth and accurate to ensure everything spoken is captured and recorded. There are 3 programmable buttons to access your most frequently used functions.

Rename the 7 folders to simplify document management; add "verbal" comments within your dictation to communicate instructions to your typist and/or support staff. Personalise and automate your software to download dictation folders and their contents to your PC, or send individually to separate locations via your network server or as email attachments. Great for outsourcing work to typing bureaus or to a member of staff working from home.

DS-5000iD Code AR0119

All the features above plus the added security of password protection or fingerprint scan entry.

Both DS-5000s are supplied with 512MD micro SD memory card, 1GB SD Memory card, CR10 docking cradle, A513 AC Adaptor, KP21 USB cable, CS119 Carry Case, BR403 rechargeable batteries, DSS Player Pro Dictation Release 5.

SC1 Barcode Scanner Module Code AR0121

A plug-in type barcode scanner for use with the DS-5000 and DS-5000id allows you to safely and accurately read barcode data such as patient/medication information.

DS-3400 Code AR0115

With all the features of the DS-5000 but with button controls rather than slide.

DS-3400 is supplied with 1GB SD memory card, KP21 USB Cable, CS119 Carry Case, 2 x AAA Batteries and DSS Player Pro Dictation Release 5.

AS-5000 Transcription Kit Code AR0023

Everything a busy secretary demands – plus so much more. Personalise folders for multiple authors and/or locations. The typist alert (visual or audible) announces the arrival of new dictation, management functions keep both authors and co-workers informed of the job's status. Extended customisation includes Document management, Template association by Author/Job type and file encryption and decryption.

Typist kit includes; RS-28 Foot Control with both serial and USB cable connectors, E62 Stereo Headset with optional small and large ear foam pads and DSS Player Pro Release 5 Transcription software.



DSS Player Pro Release 5 Software

This software allows for two different types of installs: either "Standalone" or "Workgroup System".

Standalone install includes the Dictation Module for the Author and Transcription Module for the Secretary. All features and functionality as listed on the spec sheets for the DS-5000/DS-5000iD and AS-5000 Kits are fully supported.

Workgroup System installs are targeted towards larger organisations or companies who will benefit from additional tools to manage the software, hardware and licensing across their site.

The System Configuration Program enables the IT or Office Manager to configure and lock settings in DSS Player Pro R5 from a central point. It also facilitates the installation and management of software updates for end users.

The Device Customisation Program allows centralised customisation for the DS-5000 and DS-5000iD. Settings can be customised in the software to be uploaded directly to authors' machines.

Software licensing is managed via the Licence Manager program using a Multi-licence which is issued specifically for the customer's site.

HANDS FREE RECORDING via RS-28 Foot Control

Available for DS-5000 and DS-5000iD

The perfect solution for histology and pathology. Docking the DS-5000 into its cradle and connecting the RS-28 foot control provides basic dictation functions via the foot control. Each of the 3 pedals can be customised to maximise comfort and flexibility for the author.



Comparison Guide: Consumer Products



	WS-550M	WS-450S	VN-6800PC	VN-6500
PC Interface (cable supplied)	USB	USB	USB	
Operation	Nav Button	Nav Button	Nav Button	Nav Button
Recording Format	WMA	WMA	WMA	HQ/SP - Sub Band Codec LP - CELP
Memory Supplied / Type	2GB Built-in	1GB Built-in	1 GB Built-in	1 GB Built-in
Music Playback	WMA & MP3			
Direct PC Dictation				
Max Record Time: ST-XQ	34hrs 30min	17hrs 20min		
Max Record Time: ST-HQ	69hrs 40min	34hrs 45min		
Max Record Time: ST-SP	139hrs 25min	69hrs 35min		
Max Record Time: HQ	139hrs 25min	69hrs 35min	70hrs 55min	40hrs 30min
Max Record Time: SP	247hrs 10min	137 hrs	139hrs 35min	107hrs 55min
Max Record Time: LP	544hrs 55min	272hrs 25min	444 hrs	604hrs 15min
Play Time: MP3 Music	approx 500 songs			
Number of Folders ** renamable	5	5	5	4
Voice Files per Folder	200	200	200	100
Temp Mark	◆	◆		
Voice Filter	◆	◆		
Noise Cancel	◆	◆		
Alarm Playback				◆
File Erase (Single and All)	◆	◆	◆	◆
Erase Protection (by File)	◆	◆		
Index Marking	◆	◆	◆	◆
Microphone Sensitivity	Dictation/Conference	Dictation/Conference	Dictation/Conference	Dictation/Conference
Fast / Slow Playback	Both	Both	Both	Both
FF Skip / Rew Skip	◆	◆	◆	◆
VCVA Voice Activation	◆	◆	◆	◆
LCD Display (Backlit**)	◆**	◆**	◆	◆
WOW Surround Sound	◆			
Mic and Earphone Jack Size	3.5mm	3.5mm	3.5mm	3.5mm
Batteries Supplied	1 x Ni-MH Rechargeable	1 x AAA	2 x AAA	2 x AAA
Earphone Supplied	◆			
USB Extension Cable Supplied	◆		◆	
Height x Width x Depth (mm)	94x38x11	94x38x11	102x37x19	102x36x20
Weight (Including Batteries)	46g	46g	64.8g	63g

** Specifications accurate at time of printing. Please check our web site for updates and changes at www.dictation.co.nz.

Comparison Guide: Business Machines & Workgroup Solutions

				
	DS-5000 (id)	DS-3400	DS-2400	DS-55
Network Path / Download Locations	Multiple	Multiple	Multiple	Single
PC Interface (cable supplied)	USB	USB	USB	USB
Operation	Slide	Button	Button	Button
Device Lock (via Password or Fingerprint)	◆ (iD only)	◆ (Password only)		
Verbal Comment	◆	◆		
Programmable Buttons	x3	x3	x3	
Recording Format	DSS & DSS Pro	DSS & DSS Pro	DSS Pro	WMA
Memory Supplied / Type	512MB micro SD/1GB SD	1GB SD	1GB SD	1GB Built-in
Micro SD card (Optional SD Card)	◆			
Supports Pod Casting				◆
Docking Cradle (Supplied) **Rechargeable	CR10**			
Auto Detect & Download	◆	◆	◆	◆
Direct PC Dictation	◆	◆	◆	◆
Hands Free Recording	Optional			
Max Record Time: ST-XQ				16hr 30min
Max Record Time: ST-HQ				33hr 10min
Max Record Time: ST-SP				66hr 20min
Max Record Time: HQ				66hr 20min
Max Record Time: QP	1GB = 77hr 40min	1GB = 77hr 40min	1GB = 77hr 40min	
Max Record Time: SP	1GB = 159hr 5min	1GB = 159hr 5min	1GB = 159hr 5min	130hr 50min
Max Record Time: LP				260hr 20min
Number of Folders ** renamable	1-7**	1-7**	5 **	5**
Voice Files per Folder	200	200	200	200
Author ID	10 via PC	10 via PC	1 via PC	1 via PC
Work Type ID	10 via PC	10 via PC		
Voice Guidance				◆
Noise Cancel / Voice Filter				◆
Alarm Playback				◆
New Button (create new file)	◆	◆	◆	
File Editing: Insert Dictation	◆	◆	◆	
File Editing: Append Dictation	◆	◆	◆	
Partial File Erase	◆	◆	◆	
Index Marking	◆	◆	◆	◆
Prioritise Work	◆	◆		
Microphone Sensitivity	Conf-Dict	Conf-Dict	Conf-Dict	Conf-Dict-Lecture
Fast / Slow Playback	◆	◆	◆	Variable
FF Skip / Rew Skip	◆	◆	◆	◆
Repeat Playback / Continuous Playback				◆
VCVA Voice Activation	◆	◆	◆	◆
LCD Display (Backlit**)	◆**	◆**	◆**	◆**
Noise Cancelling on Playback				◆
Mic and Earphone Jack Size	3.5mm	3.5mm	3.5mm	3.5mm
Batteries Supplied	BR403 Ni-MH	2 x AAA	2 x AAA	2 x AAA
Microphone Supplied				ME53S Stereo
Earphone Supplied				Stereo
Carry Case Supplied	CS119	CS119	◆	◆
Height x Width x Depth (mm)	113.5x50x17	113.5x50x17	110x50x17	111x37x16
Weight (Including Batteries)	110g	105g	105g	73g

** Specifications accurate at time of printing. Please check our web site for updates and changes at www.dictation.co.nz.

Accessories Compatibility Guide

		DS-5000	DS-3400	DS-2400	DS-55	LS-10	WS-550M	WS-450S	VN-6800PC	VN-6500
Software	DSS Player Pro Rel 5	♦	♦							
	DSS Player Standard v1			♦						
	DSS Player v7				♦					
	CuBase					♦				
xD Memory	Memory Cards									
sD Memory	SD / Micro SD	♦	♦ (SD)	♦ (SD)		♦ (SD)				
Docking Cradle	CR10	♦	♦	♦						
	CR3A									
Leads & Cables	KP21 USB Cable	♦	♦	♦						
	KP10 USB Cable				♦	♦			♦	
	KP11 USB Cable									
	KA232 Lead				♦		♦	♦	♦	♦
	KA333	♦	♦	♦	♦	♦	♦	♦	♦	♦
Microphones	ME30W Conference				♦	♦	♦	♦		
	ME31 Gun Microphone	♦	♦	♦	♦	♦	♦	♦	♦	♦
	ME12	♦	♦	♦	♦		♦	♦	♦	♦
	ME15	♦	♦	♦	♦	♦	♦	♦	♦	♦
	ME50S				♦		♦	♦		
	ME51S				♦	♦	♦	♦		
	ME52W	♦	♦	♦	♦	♦	♦	♦	♦	♦
Remote controls	RS30W					♦				
	RS29				♦					
Telephone Recorders	TP7	♦	♦	♦	♦	♦	♦	♦	♦	♦
	Tele Recorder	♦	♦	♦					♦	♦
Earphones	E20	♦	♦	♦			♦	♦	♦	♦
	E30				♦		♦	♦		
Carry Cases	CS105									
	CS113				♦					
	CS119	♦	♦	♦						
Foot Controls	RS28	♦								
Power Adaptors	AD0095 (Mains Power)				♦					
	A513A (CR10)	♦				♦				
	D-7AC (CR3A)									
Batteries	BR403 Ni-MH	♦								
	BC-400 Batteries with Charger	♦	♦	♦	♦		♦	♦	♦	♦
Bar Code Scanner	SC1 Bar Code Scanner	♦								

** Specifications accurate at time of printing. Please check our web site for updates and changes at www.dictation.co.nz.

Software Spec's

	DS-5000 DS-3400	DS-2400	DS-55	AS-5000	AS-2400
Software Supplied	DSS Player Pro Dictation R5	DSS Player Standard Dictation v1	DSS Player V7	DSS Player Pro Transcription R5	DSS Player Standard Transcription v1
File Format supported	DSS Pro, DSS, Wav, WMA, MP3	DSS Pro, DSS, Wav, WMA, MP3	DSS, Wav, WMA, MP3	DSS Pro, DSS, Wav, WMA, MP3	DSS Pro, DSS, Wav, WMA, MP3
Auto Detect and Download Files	♦	♦	♦	♦	♦
Auto Attach & Email Files	♦				
Logon / Detect DSS Files on emails				♦	
Main Window					
Network Path / Download Locations	Multiple	Multiple	Single	Multiple	Multiple
Download Folders	1 - 7	5	5	1 - 7	1 - 7
Document Management	♦			♦	
Template / Job Type Association	♦			♦	
File Encryption / Decryption	♦			♦	
Finished Tray	♦			♦	♦
Create Sub Folders	♦	♦	♦	♦	♦
Rename Folders	♦	♦	♦	♦	♦
Add Comment(s) to Files	♦	♦	♦	♦	♦
Enter Job Data via Bar Code Reader	♦				
Automate File Backup	♦			♦	
Noise Cancelling on Playback	♦	♦	♦	♦	♦
File Conversion DSS/DS2 to WAV	♦	♦	♦	♦	♦
Upload Data (Transfer Files to DVR)	♦	♦	♦	♦	♦
Playback Control via Function Keys	♦	♦	♦	♦	♦
Adjust Playback Speed	♦	♦	♦	♦	♦
Adjust Auto Backspace Setting	♦	♦	♦	♦	♦
Modify Foot Control Settings				♦	♦
Mute System Sounds				♦	
Direct Dictation Window (DVR Connected)					
Control Direct Dictation via Mouse	♦	♦	♦		
Control Direct Dictation via DVR	♦	♦	♦		
Edit DSS File (Insert/Erase) via Mouse	♦	♦	♦		
Attach / email Files	♦				
Select Work Type (x10)	♦				
Select Conference or Dictate Mode	♦	♦			
Select Recording Quality			♦		
Prioritise Work	♦	♦	♦		
Add Comments to Files	♦				
Add Verbal Comment to File	♦				
Add Instruction Comment to File	♦				
Specify Path for Download Tray	♦				
Typist Playback Bar					
Adjustable Volume/Speed/Noise Canceling				♦	♦
Set Status: Finished/Pending/Unfinished				♦	♦
New Dictation notification				♦	
Indexing				♦	♦
Management Module					
Software and Device Configuration Programs (Multi-Licence only)	♦			♦	

** Specifications accurate at time of printing. Please check our web site for updates and changes @ www.dictation.co.nz.

PC System Requirements

	DS-5000/DS-3400/AS-5000	DS-2400/AS-2400	DS-55	WS-450S WS-550M	VN-5500PC
Software Supplied	DSS Player Pro R5	DSS Player Standard v1	DSS Player Version 7	None	None
Windows OS	Win 2000 Prof SP4 Win XP Prof Edition SP2 / Home Edition SP2 Win XP 64-bit Prof Edition SP2 / Home Edition SP2 Win Vista Ultimate / Enterprise / Business / Home Premium / Home Basic Wind Vista Ultimate 64-bit edition / Enterprise 64-bit edition / Business 64-bit edition / Home Premium 64-bit edition / Home Basic 64-bit edition Win Server 2003 OS Win Server 2003 OS x64 edition Win2000/XP: Intel Pentium III 500MHz or higher Win Vista: 800MHz or higher Win Server 2003: 550MHz or higher	Microsoft 2000 Professional Microsoft Windows XP Professional, Home Edition Microsoft Windows Vista Ultimate, Enterprise, Business, Home	Windows 2000 Windows XP Windows Vista	Windows 2000 Windows XP Windows Vista (Standard Installation)	Windows 2000 Windows XP Windows Vista (Standard Installation)
PC / CPU		IBM PC/AT compatible Win 2000/XP: Intel Pentium III 500MHz or higher Win Vista: 800 MHz or higher	IBM PC/AT compatible Win 2000/XP: Intel Pentium II 333MHz or higher Win Vista: 800 MHz or higher		
RAM	Win 2000/XP: 128MB or more (256MB or more recommended) Win Vista: 500MB or more (1GB or more recommended) Win Server 2003: 256MB or higher	Win 2000/XP: 128MB or more (256MB or more recommended) Win Vista: 512MB or more (1GB or more recommended)	Win 2000/XP: 128MB or more Win Vista: 512MB or more		
Hard Disk Space	70MB or more (700MB or more with .NET Framework 2.0 not installed)	70MB or more (700MB or more with .NET Framework 2.0 not installed)	50MB or more plus space for sound files		
Sound Card	A Microsoft WDM- or MME-compliant and Windows compatible sound device	A Microsoft WDM- or MME-compliant and Windows compatible sound device	Creative Labs Sound Blaster 16 or 100% compatible sound card		
Display	800 x 600 pixels or higher 65,536 colours or more (16.77 million colours or more recommended)	800x600 pixels or higher, 65,536 colours or more (16.77 million colours or more recommended)	800x600 pixels with 256 colours or more		
CD-Rom Drive	CD-ROM drive installed	CD-ROM drive installed	2 x CD-ROM drive		
USB Port	One or more Free Ports	One or more Free Ports	One or more Free Ports	One or more Free Ports	One or more Free Ports
Audio Input/Output	Microphone input and earphone (or speaker) output	Microphone input and earphone (or speaker) output	Microphone input and earphone (or speaker) output		
Browser	Microsoft Internet Explorer 6.0 or later (with the latest SP applied)	Microsoft Internet Explorer 6.0 or later (with the latest Service Pack applied)	Microsoft Internet Explorer 4.01 SP2 or later		
Notes:	Installing DSS Player Pro R5 requires Administrator privileges		USB ports are not supported under Win 95 or upgrades from Win 95		
Mac's Supported	Power PC G3 500MHz or more Intel Core Solo / Duo 1.5GHz or more	Power PC G3 500MHz or more / Intel Core Solo / Duo 1.5 GHz or more			
Mac OS	MAC OS X 10.3.9 or later	MAC OS 10.3.9 – 10.5	MAC OS 10.2.8–10.5 (Standard Install)	MAC OS 10.2.8–10.5 (Standard Install)	MAC OS 10.2.8–10.5 (Standard Install)
RAM	256MB or more	Minimum 256MB (512MB or more is recommended)			
Hard Disk Display	200MB or more 1024 x 768 dot or more, 32,000 colours or more	Minimum 200MB 1024x768 pixels or more, 32,000 colours or more			
CD-Rom Drive	CD-ROM drive	Minimum 2 x CD-Rom, CD-R, CD-RW, DVD			
USB Port	One or more available* ¹	One or more Free Ports	One or more Free Ports	One or more Free Ports	One or more Free Ports
Audio Output	Earphone or speaker output	Mic input and earphone (or speaker) output			
Notes:	*1 Operation will not be guaranteed when expansion USB port is used. *2 When Windows Media Components for QuickTime of Flip4Mac is installed, you can directly play the WMA file with the DSS Player. For further info, please refer to the Flip4Mac website.	(1) MAC version does not support Voice Recognition software.	Recordings are in WMA format. You will require software to play WMA files on a MAC.	Recordings are in WMA format. You will require software to play WMA files on a MAC.	Recordings are in WMA format. You will require software to play WMA files on a MAC.